

8HWM-FF



Department of Energy

ROCKY FLATS OFFICE
P.O. BOX 928
GOLDEN, COLORADO 80402-0928

JAN 20 1993

92-DOE-00610

JAN 20 1993

Mr. Gary Baughman
Hazardous Waste Facilities Unit Leader
Colorado Department of Health
4300 Cherry Creek Drive South
Denver, Colorado 80222-1530


Mr. Martin Hestmark
U.S. Environmental Protection Agency, Region VIII
ATTN: Rocky Flats Project Manager, 8HWM-RI
999 18th Street, Suite 500, 8WM-C
Denver, Colorado 80220-2405

Gentlemen:

In compliance with the Interagency Agreement between the Department of Energy, U.S. Environmental Protection Agency and Colorado Department of Health, the enclosed December report summarizes the status of environmental restoration activities as of December 31, 1992.

If you have any questions or comments relative to this report, please feel free to contact Richard J. Schassburger of my staff at 966-4888.

Sincerely,



James K. Hartman
Assistant Manager
for Environmental Management

Enclosure

ADMIN

DOCUMENT CLASSIFICATION
REVIEW WAIVER PER
CLASSIFICATION OFFICE

A-SW-001416



Department of Energy

ROCKY FLATS OFFICE
P.O. BOX 928
GOLDEN, COLORADO 80402-0928

JAN 20 1993

92-DOE-00610

Mr. Gary Baughman
Hazardous Waste Facilities Unit Leader
Colorado Department of Health
4300 Cherry Creek Drive South
Denver, Colorado 80222-1530


Mr. Martin Hestmark
U.S. Environmental Protection Agency, Region VIII
ATTN: Rocky Flats Project Manager, 8HWM-RI
999 18th Street, Suite 500, 8WM-C
Denver, Colorado 80220-2405

Gentlemen:

In compliance with the Interagency Agreement between the Department of Energy, U.S. Environmental Protection Agency and Colorado Department of Health, the enclosed December report summarizes the status of environmental restoration activities as of December 31, 1992.

If you have any questions or comments relative to this report, please feel free to contact Richard J. Schassburger of my staff at 966-4888.

Sincerely,


James K. Hartman
Assistant Manager
for Environmental Management

Enclosure

